



राष्ट्रीय प्रौद्योगिकी संस्थान पुदुच्चेरी  
NATIONAL INSTITUTE OF TECHNOLOGY PUDUCHERRY  
Thiruvettakudy, Karaikal – 609 609

Ref.No.: NITPY/2016-2017/MED/001

Dated: 24.11.2016

**NOTICE INVITING QUOTATION FOR MEDICAL EQUIPMENTS**

National Institute of Technology Puducherry invites separate sealed quotations from the reputed vendors for supply of the following items:

| Sl. No                                                      | Equipment name    | Required quantity |
|-------------------------------------------------------------|-------------------|-------------------|
| 1                                                           | Stretcher Trolley | 1                 |
| 2                                                           | Wheel Chair       | 1                 |
| 3                                                           | IV Stand          | 1                 |
| 4                                                           | Revolving Stool   | 1                 |
| 5                                                           | Medicine Trolley  | 1                 |
| 6                                                           | Foldable Screen   | 1                 |
| Detailed specification for each item is given in Annexure I |                   |                   |

The complete details of the items to be supplied, Eligibility conditions and method of submission of bidding documents, etc. are given below.

**Last Date & Time:**

Submission of Quotation: **22-12-2016 3.00 PM**

Opening of Quotation in the presence of available bidders: **22-12-2016 4.00 PM**

Sd/-  
Registrar (i/c)



राष्ट्रीय प्रौद्योगिकी संस्थान पुदुच्चेरी  
**NATIONAL INSTITUTE OF TECHNOLOGY PUDUCHERRY**  
**Thiruvettakudy, Karaikal – 609 609**

---

**Terms & Conditions**

1. Separate sealed quotations are invited for supply of Stretcher Trolley, Wheel Chair, IV Stand, Revolving Stool, Medicine Trolley and Foldable Screen at NIT Puducherry.
2. The sealed quotations should reach The Registrar, National Institute of Technology Puducherry, Thiruvettakudy, Karaikal - 609609 on or before 22-12-2016 up to 03:00 pm and they will be opened on the same day at 4:00 PM in the presence of available bidders. The offers will not be considered if received after the bid closing date and time. The quotations should be sealed and superscripted as "Quotation for supply of medical equipments"
3. The rates should be inclusive of all taxes, freight, packing, forwarding and installing etc.
4. The rate quoted shall on FOR destination basis at our premises.
5. The firm should have been in existence for at least last three years (proof to be attached)
6. The quote is not transferable.
7. The offers received through telex / tele-fax / e-mail will not be accepted by the Institute under any circumstances.
8. The Institute shall not be responsible for any delay / loss or non-receipt of quotes by post / courier service.
9. No unsolicited correspondence shall be entertained after the submission of the offer.
10. Quoting merely the lowest price does not confer any right to any bidder for award of supply order. The Institute reserves the right to select any bid on the grounds of quality, offer of additional / special features, compatibility, etc.
11. The Institute also reserves the right to reject any bids with sub-standard products even if they are found to be lowest.
12. The period of delivery exceeding three months is not normally allowed.
13. Full particulars regarding the make, manufacturing specifications and standards, guarantee period, and descriptive literature should accompany the quotation.
14. The price and the delivery period should be clearly stated in the quotation.
15. If any articles are not up to the prescribed quality or specification it is liable for outright rejection.
16. At the time of dispatch of articles, Delivery Note should be given along with the articles.
17. The list of Items is attached as Annexure – I, II, III, IV, V & VI. The firms may quote any single items or whole items separately as the case may be.

18. Failure to supply the item indented within delivery time will result in automatic cancellation of Supply Orders. Such automatic cancellation empowers the Institute to purchase the items from other available sources and to recover the difference between the prices so paid and those payable under the contract. Also failure to comply with the general spirit of the contract will lead to termination of contract and effecting purchases required from outside sources and to recover the loss in such kind of purchase from supplier.
19. In case of failure to supply within the time specified in the Purchase order, a penalty/LD of 0.5% of the total value per week or a part thereof shall be levied subject to a maximum of 7.5% in respect of items which are not supplied. The decision of National Institute of Technology Puducherry shall be final in this regard.
20. Purchase Order may be issued to the supplier based on the lowest price of the each item.

Date:

-Sd/-  
Registrar (i/c)

**Accepted the terms & Conditions**

**Name, Sign & seal of the vendor**

## ANNEXURE - I

### NITPY's Specifications for Stretcher Trolley

| Specification                                                                                                                                                                                                                                                                                                                                       | Required quantity |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>Stretcher Trolley</b> with 3 years warranty                                                                                                                                                                                                                                                                                                      | <b>1</b>          |
| Other Requirements <ul style="list-style-type: none"><li>• Dimension: 213 L * 56 W * 81 H cm</li><li>• Frame work of CRCA tubes mounted on 15 cm casters</li><li>• Removable stretcher top with chrome plated handle</li><li>• Pretested and epoxy powder coated finish without mattress</li><li>• Rexene foldable bed of above dimension</li></ul> |                   |

### NITPY's Specifications for Wheel Chair

| Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Required quantity |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>Wheel Chair</b> with 3 years warranty                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1</b>          |
| Other Requirements <ul style="list-style-type: none"><li>• Rear Wheel Size : 24"</li><li>• Front Wheel Size : 8"</li><li>• Seat to floor height (inches) : 19"</li><li>• Seat Depth (inches) : 16"</li><li>• Back height (inches) : 18"</li><li>• Total height (inches) : 35"</li><li>• Max User Weight Capacity (kgs) : 110 K.G.</li><li>• Net Weight (kgs) : 18.5 K.G.</li><li>• Upholstery : BLACK REXINE</li><li>• Armrest : Fixed</li><li>• Legrest : Fixed</li><li>• Wheel Quality : Mag Wheel WITH SOLID TYER</li><li>• Rear Wheel Lock : Available</li></ul> |                   |

### NITPY's Specifications for IV Stand

| Specification                                                                                                                                                                                                                                                                                                                                    | Required quantity |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>IV Stand</b> with 3 years warranty                                                                                                                                                                                                                                                                                                            | <b>1</b>          |
| Other Requirements <ul style="list-style-type: none"><li>• 5 wheel plastic base ensures stability.</li><li>• Ram's horn-style hooks hold solution containers and other items securely.</li><li>• Accommodates two pumps up to 14 lbs. each and two 3-liter bags of fluid.</li><li>• Tool-free push-button design makes adjusting easy.</li></ul> |                   |

### NITPY's Specifications for Revolving Stool

| Specification                                                                                                                                                                                                                                           | Required quantity |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>Revolving Stool</b> with 3 years warranty                                                                                                                                                                                                            | <b>1</b>          |
| Other Requirements <ul style="list-style-type: none"><li>• SS Tubular four legs fitted with PVC stumps</li><li>• SS Top through screw, pre-treated and epoxy powder coated</li><li>• Foot ring supports</li><li>• 18 To 27 adjustable heights</li></ul> |                   |

### NITPY's Specifications for Medicine Trolley

| Specification                                                                                                                                                                                                                                                                | Required quantity |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>Medicine Trolley</b> with 3 years warranty                                                                                                                                                                                                                                | <b>1</b>          |
| Other Requirements <ul style="list-style-type: none"><li>• Wholly made of SS material</li><li>• Three shelves with side railing</li><li>• Standard dimension: 60 mm L x 460 mm W x 810 mm H</li><li>• Optional dimension available</li><li>• 4 Inch Quality caster</li></ul> |                   |

**NITPY's Specifications for Foldable Screen**

| <b>Specification</b>                                                                                                                                                                                                                                                                                                                                                                                          | <b>Required quantity</b> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Foldable Screen</b> with 3 years warranty                                                                                                                                                                                                                                                                                                                                                                  | <b>1</b>                 |
| Other Requirements <ul style="list-style-type: none"><li>• Overall approx. Size: 1680 (L) mm x 2450 (W) mm</li><li>• MS tubular construction made of 19 mm x 18 G in four section</li><li>• Legs made of 25 mm x 18 G fitted with 50 mm Casters</li><li>• Each span 610 mm wide</li><li>• Supplied with hooks and spring with curtains cloth</li><li>• Finish: Pre-treated and epoxy powder coated.</li></ul> |                          |

Date: 24-11-2016

-Sd/-  
Registrar ( i/c)